

Index

absorption law	32-2, Nug24-1
abs	6-1, J-1
abstract	36-2, 38-1, Nug30-1
access control modifier	15-2, Nug-12
accuracy	48-2
acos.....	6-2
ADA	S-1
add	42-1, 43-2, 43-3, 44-2, 46-1, 50-1, Nug30-1, J-3, J-4
addAll.....	42-1, 46-1
addFirst	50-1, J-3
addLast	50-1, J-3
algebra, boolean	32-1
alph order	Nug-7
Altair	S-3
American Standard Code for Information Interchange ..	D-3
Analytical Engine	S-1
ancestors	W-1
AND, bitwise	28-1, Nug-11
AND, Boolean	8-1, 32-1, Nug22-1
anonymous objects	16-2
anti-virus software	T-1
AP correlation	Q-1
append	31-1, J-4
appending to the end of a file	26-2
Apple IIe	S-4
Apple Computer	S-4
applyPattern	Z-1
area	7-2
argument	15-3
ArithmeticException	37-2, K-1
arithmetic operators	H-1
arrayCopy	19-2, Nug-10
ArrayIndexOutOfBoundsException	18-3, K-1
ArrayList	42-1, 42-2, 43-1, 44-3, 45-5, 53-2, 53-6, 56-2
ArrayListQueue	53-6
arrays	18-1, 19-1, 34-1, 43-1, 56-2, Nug- 13, Nug-17, Nug24-1
Arrays class	19-3, 35-2, 42-2
arrays of objects	19-1
ASCII	13-1, D-1, Nug23-1
asin	6-2
asList	42-2
assembly language	V-3
atan	6-2
assignment	4-1
association list	47-1
autoboxing	21-1, 43-1, 43-3
Autoexec.bat	X-3
auto-unboxing	21-2
automatic initialization of arrays	18-3

averages	25-6, 26-2
AWACS	56-1
Babbage, Charles	S-1
back of queue	53-2
backslash	3-2, A-1
backspace	A-1
balanced tree	52-6
BankAccount class	15-7
base	14-1, G-1
base class	36-2
BaseClass class	27-3
base folder	I-2, I-3
Bemer, Robert	D-3
Big O	39-1, 41-13, 43-3, 57-7, Nug-13, Nug27-1
binary	14-1, G-1, Nug-6, Nug-14
binary expression tree	52-10
binary file	26-2, F-1
binary file editor	14-4, U-1
binary search	19-3, 35-2, 39-3, 41-13, 51-1 -6
binarySearch, Arrays class	19-3, 51-6
binary search tree	52-1
binary tree	45-8, 52-1
bin folder	I-2, X-1
bits	14-1
bitwise operators	28-1, 29-1, Nug-9
block ranges (Unicode characters)	AC-2
block rems	1-2, AE-2
BlueJ	19-4, M-1, N-1, X-1
boolean	8-1, 29-2, C-1
boolean algebra	32-1
boolean operators	H-1, Nug-17
boolean search	8-3
booleanValue	21-2
boot sector virus	T-1
boot sequence	T-2
boxing	21-1
branch	W-1
break	10-1, 11-1, 12-2, Nug-8
BreezySwing class	M-1
browser	V-2
Bubble Sort	41-2, 41-13
bug	S-3
bunching of indices	57-3
byte	14-1, C-1
c++	AF-2
Calendar class	AD-2
calling chain	37-1
call stack	50-3
capacity	42-2, J-4
cards	S-5
casting	5-1, 42-2, 43-1, 43-2, Nug-12, Nug23-1
catch	37-3, Nug29-1

CD	X-2
ceil	6-1, Nug27-1, J-2
sensor	23-5
Central Processing Unit	S-4
chain, calling	37-1, 50-3
chaining (hashing)	57-5
chain (linked list)	49-1
change directory (cd)	X-2
char	10-2, 13-1, C-1, Nug23-1
Character class	13-2, Nug22-1
charAt	17-3, 31-3, Nug-4, J-1, J-4
charValue	21-2
checked exception	37-2
child node	W-1
class	15-1
class creation	N-1, O-1
class loader	I-3
class method	20-2
classpath variable	I-3
class variable	20-2
clear	42-1, 43-2, 43-3, 47-1, 50-1
clone	36-4, 57-7
close	24-1, 26-1
clusters of data in hash tables	57-4
cmd	I-2
Collections	42-2, 45-5
collisions (hashing)	57-5
color palette	57-1
command	X-3
command line arguments	19-4, Nug-16
command line prompt	I-1, X-2
comment	1-1
Compaq Computer	S-4
Comparable	41-13, 45-1, 51-4, 52-7
Comparator	45-3, 46-2, 47-2
compare	45-1
compare objects	45-1
compareTo	17-1, 45-1, 51-4, 52-7, J-1
compareToIgnoreCase	17-1
comparison operators	H-1
compatibility for matrix multiplication	AA-3
compiled languages	V-3
compiling	I-1, V-3, X-1, X-2
complete tree	55-1, W-1
complexity analysis	39-1
compound operator	4-1
computer languages	50-3, V-1
concatenation	3-1, 31-1, 31-2, Nug-7
constant	5-1, 20-3, Nug-10
constructor	15-1, 15-3, Nug-10
contains	17-3, 42-1, 43-3, 46-1, 50-1
containsAll	42-1
containsKey	47-1
containsValue	47-1

continue	12-2, Nug-8
control expression	11-1, 12-1
conversion between number systems	14-1, Nug-6
conversion, char to String	13-1
conversion, primitives to objects	21-1
conversion, numerics to Strings	Nug-15
conversion, String to char	13-1
conversion, String to double	22-1
conversion, String to int	22-1
conversion, Wrapper objects to primitives	21-2
copyright	T-2
copyValueOf	19-2, J-1
cos	6-2
cosmic superclass	16-2, 36-4
countTokens	23-1
CPU	S-4
create class	N-1, O-1
create project	N-1, O-1
CSV files	T-2
currentTimeMillis	48-2
data member	15-1
date/time format	AD-1, AD_2
debugging aid	X-1
DecimalFormat class	27-2, Z-1
declare	2-1, 18-1, Nug21-1
decrement	4-2, 4-3
decryption project	17-6
default	10-1
default constructor	15-4
default package	I-2
defer exception handling	37-2
delete	31-3, J-4
deleteCharAt	31-3
delimiter	17-3, 23-1, Nug-16
Dell Computer	S-4
DeMorgan's Theorem	32-2
depth of nodes	W-1
dequeue	53-1, 56-2
derived class	36-2
descendants	W-1
dictionary	47-1
Difference Engine	S-1
directory	I-3, X-2
disorganized data	57-2
distribution of indices (hash table)	57-5
divisors of a number	48-1
DOS	S-4
DOS prompt	19-4, I-4, X-1
double	2-1, C-1
double quote	A-1
doubleValue	21-2
doubly linked list	50-1
do-while loop	12-1
dynamic memory	49-5

edge	W-1
electronic community	36-5, U-1
email	T-1
email hoax	T-1
encryption project	17-6
endless loop	11-1
enhanced for-loop	19-5, Nug-16, 44-3
ENIAC	S-2
enqueue	53-1, 56-2
Entry	47-2, J-3
entrySet	47-1, 47-2, J-3
Environment Variable	I-4, X-2
equality of objects	16-2
equals	9-1, 16-2, 19-3, 36-4, 42-1,57-7,J-4
equalsIgnoreCase	9-1
escape sequence	3-2, A-1, Nug-8, AC-3
ethics	T-2
etiquette	T-2
Excel, MS	T-2
Exception Project	37-11
exceptions	T-2
exclusive-OR, bitwise	28-1, Nug-3, Nug-14
exit	27-6
Explorer, Windows	E-1
expression tree	52-10
extends	36-1, Nug-15
factorial	40-1
factor-pairs	48-2
Fibonacci project	40-10
Fibonacci series	40-4
field width	27-2
FIFO	50-2, 53-1, 56-1, Nug-11
figure of merit (hash table)	57-5
File class	24-1
file input	24-1
FileNotFoundException	37-4, K-1
file virus	T-1
FileWriter class	26-1
fill, Arrays class	19-3, 35-2
final	5-1, 36-2, Nug-10, Nug29-1
finally	37-3, Nug29-1
find	52-5
findInLine	17-4, J-4
findWithinHorizon	17-4, J-4
flags (Formatter)	27-2, AD-1
float	C-1
floating point numbers	2-1, C-1
floatValue	21-2
floor	6-1, Nug27-1, J-2
floppy disk	S-5, T-1
flow chart	27-5, 48-1
flushing a file buffer	26-2
folder options	E-1
for-each style	19-5, Nug16-1

for-loop	11-1
format	27-1, Z-1
format specifiers and flags	27-2, AD-1
Formatter class	27-2, AD-1
forum	36-5, U-1
front of queue	53-2
full binary tree	55-1, W-1
GarbageCollector	19-1
Gates, Bill	S-3
Gateway Computer	S-4
Gb	S-5
generics	43-1, 47-2
get	42-1, 43-2, 43-3, 47-2, 50-1, J-2
getCurrencyInstance	27-1
getFirst	50-1, J-3
getKey	J-3
getLast	50-1, J-3
getNumberInstance	27-1
getPercentInstance	27-2
getValue	J-3
gigabyte	14-1, S-5, Y-1
GIS (Geographical Information System)	CS1-9
graphical user interface, (GUI)	S-4, X-1
greedy quantifiers	AC-2
grep	AC-1
GUI	S-4, X-1
gymnastics project	27-4
hacker	T-1
hard disk	S-5
hard-wiring	S-2
hash code	57-5, 36-4, 57-7
hashing techniques	57-4
HashMap	47-1, 57-7
HashSet	46-1, 57-7
hash table	57-2 – 57-7
hasMoreTokens	23-2
hasNext	17-5, 44-2, 46-1, J-3, J-4
hasNextDouble	J-4
hasNextInt	J-4
hasPrevious	44-2, Nug30-1
HeapPriorityQueue	56-3
HeapSort	56-6
heap tree	W-1, 55-1, 55-1, 56-2
height of tree	W-1
Hello World	1-1
Hewlett-Packard	50-3
hex	14-1, D-1, Nug-6, Nug-14
hoax	T-1
Hopper, Grace	S-3
horizon	17-4
html	D-1, X-1, AE-1, AE-3
IBM cards	S-5
IDE	I-4, N-1, O-1, X-1
identity theft	T-2

if statement	9-1
IllegalArgumentException	K-1
illegal name	2-2
IllegalStateException	K-1
image	57-1
implements	38-1, Nug-3, Nug-15
implementation perspective of interfaces	38-1, Nug-6
importing	7-1, 19-3, 20-4, I-1
include	V-2
increment	4-2, 4-3, 42-2
indexOf	17-1, 42-1, 43-3, 50-1, Nug-17, J-1
infinite loop	11-1
infix form	50-4, 52-10
inheritance	16-2, 36-1
initialization block	Nug20-1
initialize	2-1, 18-1, 18-3, Nug21-1
initializing expression	11-1, 12-1
initializing object arrays	19-1, Nug-13
initializing state variables	16-3
initializing variables	16-4
inner class	47-2, 54-1
inner interface	47-1
inner loop	11-3
in-order traversal	52-8, 52-10
input from file	24-1
input from keyboard	7-1, M-1
Input/Output	S-4
InputStreamReader	M-2
insert	31-4
insertion sort	41-6, 41-13
installing packages	M-1
instantiate	15-1, 16-2
interfaces	38-1
intersection of Sets	46-1
instance fields	15-1
instanceof	36-4, 38-3
int	2-1, C-1
interface	42-1
interior node	52-10, W-1
Internet	14-4, T-1, U-1
Internet worm	T-1
interpreted languages	V-3
interrupt	56-1
intersection of sets	46-3
intValue	21-2, J-1
I/O	S-4
IOException	24-2, 37-3,4, M-2
isDigit	13-2, Nug22-1
isEmpty	42-1, 43-2, 46-1, 47-2, 50-1 56-2
isLetter	13-2, Nug22-1, J-2
isLetterOrDigit	13-2, Nug22-1, J-2
isLowerCase	13-2, Nug22-1, J-2
isUpperCase	13-2, Nug22-1, J-2
isWhitespace	13-2, Nug22-1, J-2

iterator	42-1, 43-1, 44-1, 46-1, Nug29-1
jar files	I-3, I-5
java.exe	X-1
javac.exe	X-1
javaDoc	45-12, X-1, AE-1
java.io	24-1, I-1
Java Script	V-2
java.text	27-1, I-1
java.util	I-1
Java virtual machine	I-3
javaw.exe	X-1
JCreator	19-4, M-1, O-1, X-1
Jobs, Steve	S-4
JVM	I-3
kb	S-5
key	57-1
keyboard	7-1, S-2, 17-6
keyed list	47-1
key, map	47-1
key-punch	S-5
keySet	47-2, 47-12, Nug25-1
key words	A-1
kilobyte	14-1, Y-1, S-5
languages, computer	50-3, V-1
LAN	47-2, T-1, U-1
lastIndexOf	17-2, 42-1, 43-3, 50-1
law of absorption	32-2, Nug24-1
leaf node	52-10, W-1
legal name	2-2
length	3-1, 18-2, 31-3, J-4
level of nodes	W-1
level-order traversal	52-9
license agreement	T-2
LIFO	50-2, 53-1, Nug-11
linear probing	57-5
linear search	39-3, 41-13, 51-5
line break	3-2, A-1
linked list	49-1, 50-1
LinkedList Class	42-1, 42-2, 45-5, 50-1, 53-1, 56-2, J-3
List interface	42-1, 43-1
ListIterator	42-1, 43-1, 44-1, 50-1, Nug30-1
load factor (hash table)	57-5
local area network (LAN)	T-1, U-1
log	6-2, Nug-3
logical size	19-2, 43-1
long	C-1
longValue	42-2
lookup table	57-1
Lord Byron	S-1
Lovelace, Ada	S-1
lower bound	51-1
machine language	V-3
MacIntosh	S-4
macro virus	T-1

MalformedURLException	K-1
map	47-1, Nug25-1
Map.Entry	47-2, J-3
masking	28-4, Nug-5
matches	AC-5
Math class	6-1, Nug27-1
matrix	35-1, 35-5, AA-1
max	6-1, J-2
max heap	55-1
MAX_VALUE	22-2, C-1
megabyte	14-1, Y-1
menu	10-1
Merge Sort	19-3, 41-10, 41-13
message boards	36-5, U-1
methods	15-1
microprocessor	56-1
min	6-1, J-2
miniaturization	S-4
min heap	55-1
MIN_VALUE	22-2, C-1
MITS Altair	S-3
mixed data types	5-1
modulus	4-1, Nug-9, Nug-11
money	27-1, Z-1
monospaced fonts	55-9, AB-1
Monte Carlo technique	30-5
most significant bit	28-2, 29-1, G-1
mouse	CS1-9, S-4
msb	28-2, 29-1, G-1
MS Excel	T-2
MS Word	T-2
multiple declarations	4-1
multiple key sorting	41-18
music	T-2
name reversal	11-5
naming conflicts	I-1
naming conventions	2-2, 5-2, 15-2, 35-1
nanosecond	S-2
nanoTime	48-2
negation operator	8-1
negative number	14-4, G-1
nested ifs	9-4
nested loops	11-2
nested selection operators	33-1
network communications	S-4, T-1, U-1
new line character	3-2, A-1, D-1, AD-1
next	7-1, 17-4, 44-2, 46-1, J-3, J-4
nextBoolean.....	30-2
nextDouble	7-1, 30-1, Nug25-1, J-4
nextGaussian	30-2
nextInt	44-2, Nug30-1
nextInt	7-1, 30-1, Nug25-1, J-4
nextLine	7-2, J-4
nextToken	23-1

node	49-1, 52-1
nonsensical data	57-2
non-static initialization block	Nug20-1
NOT, bitwise	28-1, Nug-9
NOT, Boolean	8-1
NotePad	E-2, X-1
null	Nug-8, Nug-17
NullPointerException	19-1, K-1
NumberFormat	27-1, Nug30-1
NumberFormatException	22-1, 37-3, K-1
numeric variables	4-1
object	15-1, 34-1
Object (cosmic super class)	16-2, 36-4, 42-2, 51-4
object perspective of interfaces	38-2
OCR	45-5, U-1
octal	14-1, D-1, Nug-6, Nug-14
odometer	G-2
operating system	S-4
operator precedence	H-1
optical character recognition	45-5, U-1
optimization of a program	48-2
OR, bitwise	28-1, Nug-11
OR, boolean	8-1, 32-1, Nug22-1
order of operations	H-1
outer class	54-1
outer loop	11-3
overloaded	30-1, Nug-2
overriding	16-2, 36-3, Nug-1
overwriting	26-1,2
package	I-1
Package access	16-4, Nug-12
package installation	M-1
palette	57-1
palletized image	57-1
parallel arrays	18-2
parameter	5-2, 15-2
parent node	W-1
parseDouble	22-1, 25-2
parseInt	14-3, 22-1, 25-2
parsing Strings (with Scanner)	17-3
partition	41-8
Pascal, Blaise	S-1
passing an array	18-3
passing by reference	34-1
passing by value	34-1
password	47-2, T-2
path length	W-1
path (tree)	W-1
path variable	X-2, I-2
pattern	27-2, Z-1
pattern, character	AC-1
payload	T-1
peek	56-2
PEMDAS	4-1

percent	27-2, Z-1
physical size	19-2, 43-1
PI	6-1
pipeline	49-1
pixel	S-4, 57-1
PKUNZIP	T-2
plagiarize	T-2
planets	10-5
pointer	49-1, 50-1
polymorphism	38-4, Nug-2
pop	50-2
POSIX character classes	AC-2
postfix form	50-4, 52-10
post-order traversal	52-9,10
pow	6-1, J-2
precedence	8-2, 29-3, H-1, Nug-17
precision	27-3, 48-2
precomputed values	57-2
preconditions	37-1
prefix form	52-10
pre-order traversal	52-8, 52-10
preserve sign	29-1
previous	44-2, Nug30-1
previousIndex	44-2, Nug30-1
primitive data types	C-1
print	26-1
printing a list, set	42-2, 46-2
println	1-1, 26-1
printf.....	27-3
print server	56-1
PrintWriter class	26-1
priority	56-2
priority queue	55-1, 56-1
PriorityQueue interface	56-2
private	16-1, 16-4, Nug-12
probing (hashing)	57-6
Project... Add 'em Up	17-6
Project... A Heap of Trouble	55-9
Project... Array of Hope	18-7
Project... A Taste of Hash	57-6
Project... BaseClass	27-5
Project... Basically Speaking	14-5
Project... Big Bucks in the Bank	43-7
Project... Big Bucks Revisited	44-7
Project... Binary Search, Reverse Order	51-3
Project... Binary Search with Objects	51-4
Project... BST <i>find</i> Method	52-5
Project... Bubble Sort	41-3
Project... Cheating on Your Arithmetic Assignment	4-5
Project... Code Talker	47-9
Project... Compute This	6-4
Project... Concatenations Gone Wild	31-2
Project... Count 'em Right	18-5
Project... Divisors of a Number	48-2

Project... Don't Make Me Take That Final!	46-4
Project... Encryption/Decryption	17-7
Project... Even or Odd?	9-4
Project... Fibonacci	40-10
Project... From Me To You	1-3
Project... Full Name	7-3
Project... Gas Mileage	16-7
Project... Generate Random Doubles.....	30-3
Project... Generate Random Integers.....	30-3
Project... Get Rid of That Plus Sign!	25-3
Project... Going in Circles	7-3
Project... Gymnastics	27-4
Project... Hashing Abraham Lincoln	57-6
Project... HashSet/Intersection	46-3
Project... HashSet/Union	46-4
Project... Histogram	47-10
Project... How Far To The Line?	20-6
Project... Inner Class Inside a Method	54-2
Project... Inner Class Inside an Outer Class	54-2
Project... Insertion Sort	41-7
Project... <i>insert</i> Method for Singly Linked List	49-4
Project... Keep Trying	37-10
Project... Linear Function	38-7
Project... Mapping Bank Accounts	47-5
Project... Masking Telemetry Data	28-4
Project... Matrix Multiplication	35-5
Project... Matrix Multiplication with File Input	35-6
Project... Merge Sort	41-13
Project... Military Censor	23-5
Project... Mixed Results	5-2
Project... Monte Carlo Technique	30-6
Project... Multiple Key Sorting	41-18
Project... Name That Celebrity	3-4
Project... Optimized Code for Divisors of a #	48-3
Project... Overdrawn at the Bank	15-8
Project... Pass the Gravy, Please	34-3
Project... Printing a Heap	55-8
Project... Quick Sort	41-9
Project... Reading Files	24-5
Project... Selection Sort	41-4
Project... Shifting Marquee	53-6
Project... Smile for the Camera	56-5
Project... Sorting a String Array	19-11
Project... Sorting BankAccount Objects Alphabetically	45-12
Project... Sorting BankAccount Objects	45-11
Project... Sorting BankAccount Objects using a Comparator	45-12
Project... Stack Calculator	50-2
Project... StackLL Class	50-2
Project... Student Averages	25-5
Project... Student Classification	47-11
Project... Tweaking for Speed	29-7
Project... Two Orders for the Price of One	19-11
Project... Super Optimized Code for Divisors of a #	48-3

Project... Weight on Other Planets	10-6
Project... What's My Name?	11-5
Project... What's That Diameter?	15-4
Project... Who Has Highest Priority?	56-3
Project... Who's Next?	53-4
Project... Write Student Averages	26-2
project creation	N-1, O-1
protected (access control modifier)	Nug-12
prototype	Nug22-1
public	15-2, 15-4, 16-4, Nug-12
publishing	14-4, U-1
pull	50-2
punch cards	S-5
push	50-2
put	47-2
putAll	47-2
quadratic probing	57-5
queue	50-2, 53-1, 56-1
Quick Sort	41-8, 41-13
Radio Shack	S-4
RAM	Y-1
random	6-1, 30-1, J-2
random numbers	30-1, Nug25-1
read-only (enhanced for loop)	19-5
read-only-memory, ROM	S-4
realizes	38-4, Nug-3
reassignment of objects	16-2
recursion	40-1, 41-8, 41-10, 51-4, Nug26-1
recycle	T-2
reference	Nug-17
reference, passing by	34-1
regular expression	18-4, 23-2, J-1, AC-1
reheap down	55-4, 56-2
reheap up	55-3, 56-2
rem	1-1
remainder	4-1
remarks	1-1,1-2
remove	42-1, 43-2, 43-3, 44-2, 46-1, 47-1, 50-1, Nug30-1, J-3
removeAll	42-1, 46-1
removeFirst	50-1, J-3
removing and array, object	19-1
removeLast	42-1, 43-2, 50-1, J-3
rename	Nug30-1
replace	17-3, Nug-16, J-2, J-4
replaceAll	J-2, AC-5, J-2
replaceFirst	J-2, AC-5
reserved words	A-1
restrictive, least & most for Big O	41-13
retainAll	42-1, 46-1
reversal	11-5
reverse	J-4
reverse-order traversal	52-9
Reverse Polish Notation	50-3

RGB	57-2
ROM	S-4
root	52-2
round	6-1, Nug27-1, J-2
round-off	6-1, 27-1
RPN	50-3
RTF files	T-2
RuntimeException	K-1
saving text files	E-1
scanner	45-5, U-1
Scanner class	7-1, 17-4, 24-1, J-4
scientific notation	2-1
SDK	I-2
selection operator	33-1, Nug-9, H-2
Selection Sort	41-4, 41-13
sequential search	39-3, 41-13
set	42-1, 43-2, 43-3, 44-2, 50-1, Nug25-1, Nug30, J-2, J-4
setCharAt	31-3, 31-5, J-4
Set interface	46-1
setMaximumFractionDigits	27-1
setMinimumFractionDigits	27-1
setValue	J-3
scope	11-2
shadowing	36-2
shell	27-6
shift (left and right)	29-1, Nug-9
short	C-1
short circuit	29-2, Nug-15, Nug22-1
shortValue	21-2
signature	6-1, 15-2
sign bit	28-2, 29-1, G-1
sign preservation	29-1
simple String operations	3-1
simulation	30-1
Simultaneously extending and implementing	38-4
sin	6-2
single quotation mark	A-1
singly linked list	49-1
size	42-1, 43-3, 46-1, 47-2, 50-1
SIZE	22-3
skip	17-4, J-4
snapshot	56-5
software specifications	14-4, U-1
sort	19-3, 35-2, 41-1, 45-4, 51-6, 42-2
sort, Arrays class	19-3, 25-4
sorting	41-1, 42-2
source file	I-2, X-1
spam email	17-5
specifiers (Formatter)	27-2, AD-1
split	18-4, 23-2, Nug28-1, J-1, AC-3
spreadsheet	T-2
sqrt	6-1, J-2
stack	50-1 - 50-5

stack class	50-2
startsWith	17-3
state variables	15-1, AE-3
static	20-1, Nug30-1
static block	Nug20-1
static imports	20-3, 20-14
static initialization block	Nug20-1
static methods/variables	19-3, 20-1
step expression	11-1, 12-1
storage methods, file	F-1
String	2-1
StringBuffer class	31-1, Nug-7, J-3, J-4
String constant pool	16-3
StringIndexOutOfBoundsException	K-1
StringTokenizer	23-1, 25-1
StringToknizer project, censor	23-5
student averages	25-6, 26-2
subclass	36-1,2
subscripted variables	18-1, 35-1
substring	3-1, 31-3, Nug-4, J-1, J-4
subtree	52-10, W-1
Sun Microsystems	48-2, X-1, AE-1
super	36-1,-3, -7, 36-12—36-15, 37-4
superclass	36-1,2
swap	41-2
switch	10-1
System dialog	X-3
System.out.print()	1-2
System.out.println()	1-1
switch positions	28-4
System Variable	I-4, X-3
tab	A-1
table	47-1
tan	6-2
TEKs correlation	R-1
telemetry	28-4
template	AF-2
ten's complement	G-2
ternary conditional	33-1, H-2
Texas TEKS/TAKS correlation	R-1
text files	26-2, E-1, F-1
text parsing	17-4
this	36-3, 36-11, 36-12,13,14,15, 46-6
throw	37-1
throws	24-2, 37-2, M-1
Time Allocation for Lessons	P-1
time/date format	AD-1, AD-2
timer	48-2
time zone	AD-2
toArray	42-1, 46-1, 50-1
toBinaryString	22-2
toCharArray	19-2, J-1
toDegrees	6-2
toHexString	22-1

token	23-1
toLowerCase	3-1, 13-3, J-2
toOctalString	22-1
Tools menu	E-1
toRadians	6-2
toString	14-3, 19-3, 22-1, 31-1, 36-4, 47-3, 50-1, 50-6, 57-7, J-1, J-4
toUpperCase	3-3, 13-3, J-2
traceory tables	S-1
traversing a binary tree	52-4, 52-8,9, W-1
traversing a list	49-2
tree	45-8, 52-1
TreeMap	47-1
TreeSet	46-1
trim	17-3
Trojan horse virus	T-1
TRS 80 Model III	S-4
truncation	4-3
truth table	8-1, 32-1,4,5
try	37-3, Nug29-1
TurtleGraphics	M-1
two-dimensional arrays	35-1, Nug24-1
two's complement	G-1
type parameter	43-1, 44-3, 46-1, 47-2
type safety	43-2, 46-1, 47-2
unary operator	H-1
unbalanced tree	52-6
unboxing	21-2
unchecked exception	37-2
undo	50-3
Unicode	13-1
Unicode groups	AC-2
union of Sets	46-1, 46-4
UnknownHostException	K-1
UnsupportedOperationException	K-1
upper bound	51-1
useDelimiter	17-4, J-4
User Variable	I-4, X-3
UTC	48-2, AD-2
value, lookup table	57-1
Value, hash table	57-3
value, map	19-2, 47-1
valueOf	19-2, 22-2, Nug-15, J-1
value, passing by	34-1
values	47-2
variable types	2-1
Vb.net	V-2
Vector	42-1, 42-2, 45-5
virus	T-1
wildcard	I-1
Windows 95, 98, NT, Millennium, 2000, XP	S-4
Visual Basic	V-2
void	15-2
von Neuman, John	S-2

WAN	U-1
web browser	V-2
weight	10-5
while-loop	12-1
whitespace	13-2, 18-4, AC-2
wide area network (WAN)	U-1
wildcard character	I-1
Windows	V-2
Windows 98	E-2, I-1, S-4
Windows 2000	X-1
Windows Explorer	E-1, X-1
Windows Scripting Host	T-2
Windows XP	X-1
Winzip	I-5
word characters	17-5
Word, MS	T-2
Wordpad	E-2
World War II	S-1
worm	T-1
Wozniak, Steve	S-4
wrapper classes	21-1, Nug-14, 43-1
writing to a text file	26-1
WSH	T-2
XOR	28-1, Nug23-1
XP	S-4
zip	T-2